

## 本期企劃

# 面臨 COVID-19 威脅的 醫療照護工作者— 談職業傷病認定與權益補償

Healthcare Workers Threatened by COVID-19:  
Recognition and Compensation  
of Occupational Injury and Illness

陳秉暉 Ping Hui Chen\* 曾培琪 Pei-Chi Tseng\*\*



## 摘要

自2019年新冠肺炎疫情爆發至今，世界各地的千萬名醫療照護工作者暴露於感染風險之下。臺灣雖然疫情控制良好，卻也有兩起醫療機構群聚感染，凸顯醫療人員於疫情之下感染風險高，而需要完善隔離休假與薪資補償等措施以維持醫療體系之運作。本文首先分析我國醫師依其受僱身分別對於職業因素感染疾病的影響，說明同樣在醫療場域工作卻可能因為僱傭契約之性質不同而有不同的職災保障。其次，本文比較我

\*臺大醫院新竹臺大分院環境與職業醫學部主治醫師 (Attending Physician, Department of Environmental and Occupational Medicine, National Taiwan University Hospital Hsin-Chu Branch)

\*\*臺北市醫師職業工會會員代表 (Delegate, Taipei Doctors' Union)

關鍵詞：職業性傳染疾病 (occupational infectious diseases)、職業傷病認定與補償 (recognition and compensation of occupational injury and illness)、醫療照護工作者 (healthcare workers)

DOI : 10.3966/241553062021040054002

國及外國對於職業相關生物性傳染疾病認定的法規與實務操作，認為我國應可依風險高低類型化職業病之認定，提供更明確的標準俾利雇主與受僱者參考。在全球疫情走向尚不確定的此時，應給予與疫情奮戰的醫療照護人員明確的職災保障。

Since the COVID-19 outbreak in 2019, millions of healthcare workers have been exposed to the risk of infection. Although the pandemic has not reached Taiwan in full, there has also been two episodes of nosocomial infection. This shows that a comprehensive protection for healthcare workers including paid sick leave should be contemplated for those working under high risk. This article first analyzes the different categories of employed doctors according to their employers, labor contracts, and whether they are protected by the labor standards act. Our analysis shows that doctors of different categories will receive different levels of payment if they are infected with COVID-19 at work. Secondly, we compared the regulations and practices of determining occupational infectious disease in Taiwan and different countries. We suggest that Taiwan should stratify healthcare workers according to levels of risk to introduce more specific standards for occupational infectious disease determination. The government should provide adequate legal protection for healthcare workers who are risking their lives battling the pandemic.

---

## 壹、前言

自2019年底新冠肺炎（COVID-19）爆發至今，全世界已有超過1億人染疫，並有超過230萬人因此死亡。美國於

2020年4月的研究<sup>1</sup>估計，在1億4494萬名美國勞工中，約有1440萬名勞工（10%）每週在工作中會暴露於感染風險至少一次，其中就有989萬名勞工屬於醫療照護工作者（healthcare workers），且77%的醫療照護工作者都屬於上述的高風險暴露者，而後續於2020年12月的研究<sup>2</sup>也估計，光在首波疫情中，美國就有大約5萬3千名醫院工作者染疫，並有1579名醫院工作者因此死亡，顯示在這波疫情中，醫療照護工作者所面臨的嚴峻情勢。

臺灣至今疫情控制良好，雖僅有924人染病，其中9人因此死亡，但仍發生了兩起院內群聚感染，分別是2020年2月遭到院內感染的1名清潔人員與3名護理人員，以及2021年1月遭到院內感染的2名醫師、3名護理師、1名看護與3名病患。在第二起院內群聚感染發生後，前衛生署長楊志良曾發言表示：「應檢討染疫醫師是否遵守標準作業流程，若未遵守則應予以開除」<sup>3</sup>，針對此番言論，中華民國環境職業醫學會也隨即在2021年1月15日發表聲明<sup>4</sup>，指出醫師因照顧病人染疫屬職業傷病，無論其身分究屬勞動基準法（下稱勞基法）之受僱醫師或公務人員，其工作權益皆應受相關法令保障。該兩起感染事件在在顯示即使疫情控制良好，但醫療照護工作者仍面臨險峻的

---

1 Marris G. Baker, Trevor K. Peckham & Noah S. Seixas, *Estimating the Burden of United States Workers Exposed to Infection or Disease: A Key Factor in Containing Risk of COVID-19 Infection*, 15(4) PLOS ONE e0232452 (2020).

2 Junaid A. Razzak, Junaid A. Bhatti, Muhammad Ramzan Tahir & Omrana Pasha-Razzak, *Initial Estimates of COVID-19 Infections in Hospital Workers in the United States during the First Wave of Pandemic*, 15(12) PLOS ONE e0242589 (2020).

3 黃子杰、謝政霖，楊志良稱應開除染疫醫 引發醫界批評，公視新聞網，2021年1月18日報導，<https://news.pts.org.tw/article/508736>（瀏覽日期：2021年2月14日）。

4 中華民國環境職業醫學會，針對開除因照護新冠肺炎病患染疫之醫師一事，中華民國環境職業醫學會發表重要聲明！，<http://www.eoma.org.tw/news/content.asp?ID=2592>（瀏覽日期：2021年2月8日）。